

Package: kitsUI (via r-universe)

October 31, 2026

Title KIT Scale Construction Tool

Version 0.8.2

Date 2026-11-01

Description KIT scale construction tool: a Shiny application for the KIT developmental scale, built on 'kits': calibrate one wave at a time with the earlier item parameters fixed, check items, link cohorts (internal link) and link to the D-score (external link), and score children. The screens use the shared KIT interface package 'kitDesign'. Launch with `\code{run_kitsui()}`.

License GPL-3

Encoding UTF-8

Depends R ($\geq$ 4.1.0)

Imports bslib ($\geq$ 0.11.0), dplyr ($\geq$ 1.1.0), haven, kitDesign ($\geq$ 0.6.1), kits ($\geq$ 0.25.2), plotly, purrr, readr, shiny, stats, tibble, tools, utils, vctrs, zip

Remotes jiewenTsai/kits, jiewenTsai/kitDesign@v0.6.1

Suggests callr, rmarkdown, testthat ($\geq$ 3.0.0), withr

Config/testthat/edition 3

Roxygen list(markdown = TRUE)

Config/roxygen2/version 8.1.0

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libssl-dev libx11-dev zlib1g-dev

Repository <https://jiewentsai.r-universe.dev>

Date/Publication 2026-10-31 23:10:15 UTC

RemoteUrl <https://github.com/jiewenTsai/kitsUI>

RemoteRef HEAD

RemoteSha b1cfe37d5d54c43b994c3a250753474d92961ec3

Contents

kit_app	2
run_kitsui	2

Index	3
-------	---

kit_app	<i>kitsUI Shiny app</i>
---------	-------------------------

Description

Usage

```
kit_app()
```

Value

```
shiny::shinyApp()
```

run_kitsui	<i>KIT</i>
------------	------------

Description

KIT kitsUI

Usage

```
run_kitsui(launch.browser = kit_open_browser, ...)
```

Arguments

```
launch.browser  
  
...                    shiny::runApp()      port
```

Value

NULL app

Examples

```
if (interactive()) {  
  run_kitsui()  
}
```

Index

`kit_app`, [2](#)

`run_kitsui`, [2](#)

`shiny::runApp()`, [2](#)

`shiny::shinyApp()`, [2](#)